

**Notice of References Cited**

Applicant/Patent

Shimizu et al.

Application/Control No.

09/530,013

Examiner

Ralph Gitomer

Art Unit

1623

Page 1 of 1

**U.S. PATENT DOCUMENTS**

*		Document Number	Date	Name	Classification <sup>2</sup>	
		Country Code-Number-Kind Code	MM-YYYY <sup>1</sup>			
	A	4,647,455	3/1987	DeBold	424	95
	B	4,663,437	5/1987	DeBold	530	324
	C					
	D					
	E					
	F					
	G					
	H					
	I					
	J					
	K					
	L					
	M					

**FOREIGN PATENT DOCUMENTS**

*		Document Number	Date	Country	Name	Classification <sup>2</sup>	
		Country Code-Number-Kind Code	MM-YYYY <sup>1</sup>				
	N						
	O						
	P						
	Q						
	R						
	S						
	T						

**NON-PATENT DOCUMENTS**

*		Include, as applicable: Author, Title, Date, Publisher, Edition or Volume, Pertinent Pages					
x	U	Lindberg B. Adsorption of ANP to Different Materials. Pharmacology & Toxicology 68(4)276-281 1991.					
x	V	Clerico A. Analytical Performance and Clinical Usefulness of a Commercially Available IRMA Kit. Clinical Chem 42(10)1627-1633, 1996.					
	W						
	X						

\* A copy of this reference is not being furnished with this Office action. See MPEP § 707.05(a).

<sup>1</sup> Dates in MM-YYYY format are publication dates.<sup>2</sup> Classifications may be U.S. or foreign.